

Study Title	PRINCIPLE
EudraCT No	2020-001209-22
Version Number, Date	V1.0 15.03.2021

Description of information needed	Label Text
Name, address and telephone number of	University of Oxford
the sponsor	Joint Research Office
(the main contact for information on the	1st floor, Boundary Brook House
product, clinical trial and emergency	Churchill Drive,
unblinding)	Headington
	Oxford
	OX3 7GB
	Tel: +44 (0)1865572224
	Fax: +44 (0)1865572228
Pharmaceutical dosage form, route of	Ivermectin (3 mg) tablets
administration, quantity of dosage units,	
and in the case of open trials, the	The capsules are for oral administration.
name/identifier and strength/potency;	
Batch and/or code number to identify the	
contents and packaging operation;	
Trial reference code allowing identification	PRINCIPLE trial.
of the trial, site, investigator and	University of Oxford
sponsor if not given elsewhere;	Chief Investigator: Prof. Chris Butler
Trial subject identification	
number/treatment number and where	
relevant, the visit number;	
Kit/Pack number	
Investigator (if not included previously)	
Directions for use	Ivermectin 3mg tablets.
(reference may be made to a leaflet or other	
explanatory	Dosage is dependent on body weight -
document intended for the trial subject or	
person administering the product)	45-64 kg: Take a single dose of 18mg (6
	tablets) each day for three days (18 tablets
	in total)
	65-84 kg: Take a single dose of 24 mg (8
	tablets) each day for three days (24 tablets
	in total) ≥84 kg: Take a single dose of 30mg (10
	tablets) each day for 3 days (30 tablets in
	total).
	Please return any remaining tablets to the
	trial team.
	Special instructions:
	You should take the daily number of tablets in
	one dose. The dose may be taken at any time
	and about the dove may be taken at any time

Platform Randomised trial of treatmeNts in the Community for epidemic and Pandemic iLInEsses IMP Label Ivermectin, Version/Date: v1.0 15.03.2021, EudraCT number:2020-001209-22



	of the day, but no food should be taken within two hours before or after administration.
"For clinical trial use only" or similar wording;	For clinical trial use only
Storage conditions	Store below 30°C
Period of use	3 days
(use-by date, expiry date or re-test date as	
applicable), in	Expiry date: month/year
month/year format and in a manner that	
avoids any ambiguity	Shelf life is <mark>xx</mark> .
"keep out of reach of children" except when	Keep out of reach of children
the product is for use in trials	
where the product is not taken home by	
subjects	